



Balaji Surgical



EVOLUTION

Surgical procedures have evolved...

Balaji Surgical

An ISO 9001:2008 & ISO 13485 : 2003 WHO-GMP Certified Company



LED OPERATION THEATER LIGHTS & TABLE

About us...

BALA JI SURGICAL is one of the prominent **ISO 9001: 2015 W H O G M P** and **CE** certificated company specializing in the production of operation theatre table and operation theatre led light in India which id continued to be the trendsetter throughout the year of history from the last 15 year we have created of a proficient niche both in the domestic and international medical industries with it products sold and to countries and regions like Europe

the medical east south America , Africa and south east ASIA we have the privilege to design and distribute the most sophisticated and technological latest products in the services of medical profession our research and development department is continuously involved in designing and devolving better design and technical solution at the required standard by the customers We are empowered with an efficient workforce of the skilled and dedicated staff over manufacturing facilities are located in Delhi equipped with the latest machinery and all the work is done is house we also continuously improved the product quality we assure to satisfy you with over quality workman ship and after sale services as we always do to meet the requests of over valuable customers we give our customer a tailor cost for cost effectiveness by keeping close watch at every step in order to give a personalized services motivated by the services philosophy of endeavour to affect customers **BALA JI SURGICAL** will as always preserve in the creative the new image in the Indian medical equipment production and contribution to the health of all human beings around the world. We can also manufacture the equipment according to your required specification as we are original manufacturers so please let us know if you need any change.

Certificate



LED OPERATION THEATER LIGHT



Model : 5 STAR + 5 STAR TWIN LIGHT

Technical Data

Number of LED	: 105 X 2
Intensity	: 2,00,000 x 2 Lux
Diameter of Light	: 565 mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 560mm X 2
Power Supply	: 220V/50Hz AC
Power	: 120 Watt X 2
Special Function	: 5 Memory Function with Remote Control



Power Supply

MODEL : 5 STAR CEILING OT LIGHT




Technical Data

Number of LED	: 105
Intensity	: 2,00,000
Diameter of Light	: 565 mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 560mm
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : 5 STAR MOBILE OT LIGHT



Optional Remote



Multifunctional Controller with Remote

Specification :

The 5 star (M) OT LED Light This provides the superior performance and is good for all kinds of Surgery.

LED OPERATION THEATER LIGHT

MODEL : SIX SIGMA TWIN LIGHT



Technical Data

Number of LED	: 36 x 2
Intensity	: 1,30,000 x 2 Lux
Diameter of Light	: 470mm x 2
Spot Diameter	: 450- 500 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 60 Watt x 2



MODEL : SIX SIGMA LED OT LIGHT



DIGITAL CONTROLLER

Specification :

Six sigma is especially recommended for operating theaters where the surgeon needs a ceiling lamp to avoid interference with other overhead equipment.


MODEL : SIX SIGMA (M)

Specification :

The mobile six sigma light systems are the perfect portable light system for clinics that look for more than a standard examination light.

Technical Data

Number of LED	: 36
Intensity	: 1,40,000 Lux
Diameter of Light	: 470mm
Spot Diameter	: 450- 500 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 60 Watt



LED OPERATION THEATER LIGHT

MODEL : NANO TWIN OT LIGHT



Technical Data

Number of LED	: 35 X 2
Intensity	: 1,00,000 X 2
Diameter of Light	: 310mm X 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 60 Watt X 2

MODEL : NANO CEILING OT LIGHT



Technical Data

Number of LED	: 35
Intensity	: 1,00,000
Diameter of Light	: 310mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 60 Watt

NANO WALL MOUNTED



Wall mount Nano series examination lights help small and crowded clinics to save space and maintain powerful illumination for treatments and examinations.

MODEL : NANO (M) EXAMINATION LIGHT



Features:

- No flickering, High efficiency, Immediate start

LED OPERATION THEATER LIGHT



MODEL : APPLE 3+3 TWIN

Technical Data

Number of LED	: 45 x 2
Intensity	: 1,20,000 x 2 Lux
Diameter of Light	: 650mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 50 Watt x 2
Special Function	: 5 Memory Function with Remote Control



DIGITAL CONTROLLER

MODEL : APPLE 4+4 TWIN

Technical Data

Number of LED	: 60 x 2
Intensity	: 1,60,000 x 2 Lux
Diameter of Light	: 650mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 65 Watt x 2
Special Function	: 5 Memory Function with Remote Control



SPECIFICATION:

Outstanding design of the light heads and powerful LED & New aluminum modules deliver high performance illumination with use of comfort for the surgery professionals even for the long hour surgeries. Everyday's OT Rooms demand reliability, durability and long life in their choice of equipment. The BJS APPLE TWIN OT light systems meet these demands with a best performance above expectations.

LED OPERATION THEATER LIGHT



Balaji Surgical

MODEL : APPLE 5+5 TWIN

Technical Data

Number of LED	: 75 x 2
Intensity	: 1,80,000 x 2 Lux
Diameter of Light	: 650mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 90 Watt x 2
Special Function	: 5 Memory Function with Remote Control



MODEL : APPLE 6+6 TWIN

Technical Data

Number of LED	: 90 x 2
Intensity	: 2,00,000 x 2 Lux
Diameter of Light	: 650mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt x 2
Special Function	: 5 Memory Function with Remote Control



LED OPERATION THEATER LIGHT

MODEL : APPLE 3



Technical Data

Number of LED	: 45
Intensity	: 1,20,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 50 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : APPLE 5



Technical Data

Number of LED	: 75
Intensity	: 1,80,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 90 Watt
Special Function	: 5 Memory Function with Remote Control



DIGITAL CONTROLLER

MODEL : APPLE 4



Technical Data

Number of LED	: 60
Intensity	: 1,60,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 65 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : APPLE 6



Technical Data

Number of LED	: 90
Intensity	: 2,00,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control



LED OPERATION THEATER LIGHT

MODEL : APPLE 3 MOBILE



Technical Data

Number of LED	: 45
Intensity	: 1,20,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 50 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : APPLE 4 MOBILE



Technical Data

Number of LED	: 60
Intensity	: 1,60,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 65 Watt
Special Function	: 5 Memory Function with Remote Control


MODEL : APPLE 5 MOBILE



Technical Data

Number of LED	: 75
Intensity	: 1,80,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 90 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : APPLE 6 MOBILE



Technical Data

Number of LED	: 90
Intensity	: 2,00,000 Lux
Diameter of Light	: 650mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control

LED OPERATION THEATER LIGHT



MODEL : HEX 3+3 TWIN

Technical Data

Number of LED	: 45 x 2
Intensity	: 1,20,000 x 2 Lux
Diameter of Light	: 630mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 50 Watt x 2
Special Function	: 5 Memory Function with Remote Control



MODEL : HEX 4+4 TWIN

Technical Data

Number of LED	: 60 x 2
Intensity	: 1,60,000 Lux x 2
Diameter of Light	: 630mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 65 Watt x 2
Special Function	: 5 Memory Function with Remote Control



The BJS hex slim twin led OT light central sterilizable handle facilitate positioning of the lamp. Focalization and light field diameter can be easily adjusted moving the central handle the sterile area.

LED OPERATION THEATER LIGHT



MODEL : HEX 5+5 TWIN

Technical Data

Number of LED	: 75 x 2
Intensity	: 1,80,000 Lux x 2
Diameter of Light	: 630mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 90 Watt x 2
Special Function	: 5 Memory Function with Remote Control



MODEL : HEX 6+6 TWIN

Technical Data

Number of LED	: 90 x 2
Intensity	: 2,00,000 Lux x 2
Diameter of Light	: 650mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt x 2
Special Function	: 5 Memory Function with Remote Control



LED OPERATION THEATER LIGHT

MODEL : HEX 3



Technical Data

Number of LED	: 45
Intensity	: 1,20,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 50 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : HEX 4



Technical Data

Number of LED	: 60
Intensity	: 1,60,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 65 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : HEX 5



Technical Data

Number of LED	: 75
Intensity	: 1,80,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 90 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : HEX 6



Technical Data

Number of LED	: 90
Intensity	: 2,00,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control

LED OPERATION THEATER LIGHT

MODEL : HEX 3 MOBILE



Technical Data

Number of LED	: 45
Intensity	: 1,20,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 50 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : HEX 4 MOBILE



Technical Data

Number of LED	: 60
Intensity	: 1,60,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 65 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : HEX 5 MOBILE



Technical Data

Number of LED	: 75
Intensity	: 1,80,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 90 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : HEX 6 MOBILE



Technical Data

Number of LED	: 90
Intensity	: 2,00,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control

LED OPERATION THEATER LIGHT



MODEL : VEEGO 3 +3 TWIN

Technical Data

Number of LED	: 45 x 2
Intensity	: 1,20,000 Lux x 2
Diameter of Light	: 595mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 75 Watt x 2
Special Function	: 5 Memory Function with Remote Control



MODEL : VEEGO 4+4 TWIN

Technical Data

Number of LED	: 60 x 2
Intensity	: 1,60,000 Lux x 2
Diameter of Light	: 640mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 100 Watt x 2
Special Function	: 5 Memory Function with Remote Control



Specification:

VIGGO new series launched led new aluminum model the possibility of adjusting the focalization every time the lamp is moved, allows optimizing the light flux and adapting the light field diameter according to the different surgeries.

LED OPERATION THEATER LIGHT



MODEL : VEEGO 5+5 TWIN

Technical Data

Number of LED	: 75 x 2
Intensity	: 1,80,000 Lux x 2
Diameter of Light	: 595mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt x 2
Special Function	: 5 Memory Function with Remote Control



MODEL : VEEGO 6+6 TWIN

Technical Data

Number of LED	: 90 x 2
Intensity	: 2,00,000 Lux x 2
Diameter of Light	: 595mm x 2
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 150 Watt x 2
Special Function	: 5 Memory Function with Remote Control



LED OPERATION THEATER LIGHT

MODEL : VEEGO 3



Technical Data

Number of LED	: 45
Intensity	: 1,20,000 Lux
Diameter of Light	: 595mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 75 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : VEEGO 4



Technical Data

Number of LED	: 60
Intensity	: 1,60,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 100 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : VEEGO 5



Technical Data

Number of LED	: 75
Intensity	: 1,80,000 Lux
Diameter of Light	: 595mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : VEEGO 6



Technical Data

Number of LED	: 90
Intensity	: 2,00,000 Lux
Diameter of Light	: 595mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 150 Watt
Special Function	: 5 Memory Function with Remote Control

LED OPERATION THEATER LIGHT

MODEL : VEEGO 3 MOBILE



Technical Data

Number of LED	: 45
Intensity	: 1,20,000 Lux
Diameter of Light	: 595mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 75 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : VEEGO 4 MOBILE



Technical Data

Number of LED	: 60
Intensity	: 1,60,000 Lux
Diameter of Light	: 630mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 100 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : VEEGO 5 MOBILE



Technical Data

Number of LED	: 75
Intensity	: 1,80,000 Lux
Diameter of Light	: 595mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 120 Watt
Special Function	: 5 Memory Function with Remote Control

MODEL : VEEGO 6 MOBILE



Technical Data

Number of LED	: 90
Intensity	: 2,00,000 Lux
Diameter of Light	: 595mm
Spot Diameter	: 100- 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 3800-5200K
Colour Rendering Index	: 91 Ra
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 150 Watt
Special Function	: 5 Memory Function with Remote Control

LED OPERATION THEATER LIGHT



APPLE SPOT EXAMINATION LIGHT

Technical Data

Number of LED	: 15
Intensity	: 50,000 Lux
Diameter of Light	: 200mm
Spot Diameter	: 100 - 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 4350K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 12 Watt



HEX EXAMINATION (SPOT LIGHT)

Technical Data

Number of LED	: 15
Intensity	: 50,000 Lux
Diameter of Light	: 200mm
Spot Diameter	: 100 - 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 4350K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 12 Watt



VEEGO SPOT EXAMINATION LIGHT

Technical Data

Number of LED	: 14
Intensity	: 45,000 Lux
Diameter of Light	: 200mm
Spot Diameter	: 100 - 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 4350K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 12 Watt



BJS 7 LED EXAMINATION LIGHT

Technical Data

Number of LED	: 7
Intensity	: 25,000 Lux
Diameter of Light	: 200mm
Spot Diameter	: 100 - 150 mm
Depth Lumination	: 10 - 15 cm
Colour Temp.	: 4350K
Colour Rendering Index	: 91 Ra
Focusing	: Fix
LED Average Life	: >50000 Hrs.
Intensity Control	: 10-100 Digital
Power Supply	: 220V/50Hz AC
Power	: 9 Watt

Specification: This is a surgical lamp with exceptional technical performance and excellent operating versatility. It is particularly suitable for minor surgery, gynecology and first aid.

OPERATION THEATER TABLE



MODEL: BJS - 001 HYDRAULIC SURGICAL OT TABLE



Suitable for :

- General Surgery
- Urology Surgery
- Gynecology
- Laparoscopy

Standard Accessories :

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Mattress

Salient Features

- Centric Pillars • Stainless Fitting • Detachable, Head, Leg
- Four Sectional
- Base & Cover Made of Attractive Easy to clean Stainless Steel
- Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning.
- Press Paddle for Height Adjustment • Concealed Pump.



Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Manual

The table use for built-in elevator kidney bridge support kidney or gynaecology surgery efficiently.

OPERATION THEATER TABLE



MODEL:-BJS - 002 C-ARM COMPATIBLE ELECTRIC 4 FUNCTION OT TABLE



BJS 002 is 4 function electric table in this table we have give four function electric one height adjustment second trendelenburg third side tilt 4th flex reflex inbuilt kidney bridge in this table

Features :

• Resistant against thermal • Long service life • Rigid construction. • Electric table position system height up/ height down, trendelenburg/reverse, trendelenburg, Right-left lateral tilt arm easy to use, reflex and flex position and integrated with the operation table.

Suitable for :

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories :

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Manual
Battery Backup	:	Optional

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



MODEL: BJS - 003
C-ARM COMPATIBLE HYDRAULIC OT TABLE



Salient Features :

• Eccentric Pillars • Stainless Fitting • Detachable, Head, Leg & Pelvic Section • Four Sectional Radio-Translucent Top • Base & Cover Made of Attractive Easy to clean Stainless Steel • Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning. • Press Paddle for Height Adjustment • Concealed Pump • In Built Kidney Bridge.

Suitable for :

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories :

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Manual
Battery Backup	:	Optional

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



MODEL:- BJS - 004
C-ARM COMPATIBLE SEMI ELECTRIC OT TABLE



Salient Features :

• Electric Up-down by Cable Remote • Eccentric Pillars • Stainless Fitting • Detachable, Head, Leg & Pelvic Section • Four Sectional Radio-Translucent Top • Base & Cover Made of Attractive Easy to clean Stainless Steel • Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning. • Use Remote for Height Adjustment • In Built Kidney Bridge.

Suitable for :

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories :

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Mattress

Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Manual

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



MODEL: BJS - 005
C-ARM COMPATIBLE FULL ELECTRIC 5 FUNCTION OT TABLE



Salient Features :

• Eccentric Pillars • Stainless Fitting • Detachable, Head, Leg & Pelvic Section • Four Sectional Radio-Translucent Top • Base & Cover Made of Attractive Easy to clean Stainless Steel • Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning.

Suitable for :

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories :

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°



ADDITIONAL CONTROL PANEL



MEMORY FUNCTION



ZERO POSITION



AUTOFLOOR LOCKING

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



MODEL : BJS - 006
TOP SLIDE C-ARM COMPATIBLE FULL ELECTRIC OT TABLE



THIS FULL ELECTRIC TOP SLIDE. O.T Table is suitable for all kind of surgeries i.e. general surgery, cascular surgery, cardio, neurology, urology, gynecology, proctology, laparoscopy, traumatic surgery, plastic surgery and others. The base & column of the table is made of high quality medical stainless steel (Grade - 304). Non-reflecting surface, antibacterial & easy to clean. We provide with a top sliding of 5 inch back/forward. Height adjustment, Lateral Tilts, Trendelenburg, and Flex - Reflex, Chair Position and Longitudinal Sliding top are realize by Remote control.

Suitable for :

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories :

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Remote
Top Slide	:	8" Reverse & 8" Forward



ADDITIONAL CONTROL PANEL



MEMORY FUNCTION



ZERO POSITION



AUTOFLOOR LOCKING

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



MODEL:-BJS - 007 OPHTHALMIC OT TABLE



This Ophthalmic Table is specially designed for ophthalmic surgery. Three sectional tables are provided with a drainage system in the head section. The table has a sturdy base column made up of stainless steel. Steel, antibacterial and is easy to clean. hydraulic manual motive height and trendelenburg positions with the help of light weight foot pedal and handle control unit.

Salient Features

- Pu Mattress
- Stainless Fitting
- Detachable, Head & Section
- Three Sectional Radio – Translucent Top
- Base & Cover Made Of Attractive, Easy To Clean Stainless Steel
- Foot Pedal For Height Adjustment
- Concealed
- Manual Handle For Trendelburg

Technical Specification

Length Of Table	: 1900 mm
Width Of Table	: 520 mm
Minimum Hight	: 750 mm
Maximum Height	: 1000mm
Trendelburg	: 25°
Rev Trendelburg	: 25°
Leg Section	: 0°-90°

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



MODEL:-BJS - 008 GYNECOLOGICAL OBSTETRIC TABLE



Obstetrics operating room table perfect for all kinds of gynecological operations. The cover for base and column is made of 304 stainless steel, good performance on anti-rust and easy to clean THIS FULL ELECTRIC TABLE WITH OPTIONAL BATTERY BACKUP OT. OT Table is suitable for all kinds of surgeries i.e. general surgery, vascular surgery, cardio, neurology, urology, gynecology, proctology, laparoscopy, traumatic surgery, plastic surgery and others. The base & column of the table is made of high quality medical stainless steel (Grade - 304). Non-reflecting surface, antibacterial & easy to clean. We provide in this table Lateral Tilts, Trendelenburg, and Flex - Reex, Chair Position and Longitudinal are realized by Remote control.

Salient Features : • Functional And Versatile • Flexibility And Precision • Hygienic Design • Easy Cleaning • User Friendly

Standard Accessories

- Birth handle 2pcs
- Gynae Tray
- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- Knee Crutches
- Waterproof Rubber Mattress

Suitable for :

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Technical Specification

Length Of Table	:	1900 mm
Width Of Table	:	520 mm
Minimum Height	:	750 mm
Maximum Height	:	1000mm
Trendelburg	:	25°
Rev Trendelburg	:	25°
Leg Section	:	0°-90°

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



Balaji Surgical

OT TABLE POSITION



Height Up



Height Down



Trendelenburg



Reverse Trendelenburg



Lateral Tilt-Right



Lateral Tilt-Left



Reflex Position



Flex Position

OPERATION THEATER TABLE

ORTHOPEDIC ATTACHMENT



Orthopedic Attachment is a flexible, easily operable instrument for Orthopedic Surgery

The attachment allows the positioning of the extremity as required in regard to the surgery practice and the refore is especially adapted to ensure safe and efficient.

Standard Accessories :

- Orthopedic Section : 1 pc.
- Pelvic Rest : 1 pc.
- Pelvic support (Radio Translucent) : 1 pc.
- Inner thigh support (Radio Translucent) : 1 pc.
- Foot plate with Ortho shoes : 1 Pair
- Tibia Attachment : 1 pc.
- Hand Surgery Table (Radio Translucent) : 1 pc.
- Leg holder (Goepel Type) : 1 pc.

Orthopaedic traction set is suitable for use with all operating tables in orthopaedic surgeries...

- Leg strainer function by mechanical lever
- Traction boots with up & down movement and rotation capability around its own axis.

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL

OPERATION THEATER TABLE



Balaji Surgical

ORTHOPEDIC ATTACHMENT'S

Orthopaedic traction set is suitable for use with all operating tables in orthopaedic surgeries...



Tibia Bone-nailing Position



Femur Treatment And Lateral Position With Steinman Pin Holder



Patient Positioning For Neck Of Femur Nailing Traction (d.h.s)



C-arm Compatible Electric Table With Orthopaedic Attachment



Hand Surgery Position



Humerus In Lateral

OPERATION THEATER TABLE



NEUROSURGERY HEAD REST ESPECIALLY DESIGNED FOR USE IN NEUROSURGERY OPERATIONS.

Extremely durable and rigid construction from aluminium alloy. 2 image fixing system with pins and completely adjustable skull clumps. Adjustment mechanism from 4 different points. Easily mountable horse shoe head rest accessory.

Neurosurgery Head Rest With Pin & Horseshoe Head Rest



Sujita Head Fixator For Sitting / Prone Positions.



Neuro Skull Fixator in Spine Position & Skull Pins.



Head Rest device for prone, Spine & Lateral Position.



Spine Surgery in Prone Position Using Horse shoe Headrest Cushioned Spine Frame.

EXTRA ACCESSORIES



Orthopedic Attachment



Radiolucent Operating Table with Stand



Femur Nailing Support



Neuro Sujita Head Fixator for Sitting / Prone Positions



Head Rest device for prone, Spine & Lateral Position



Spinal Bridges for prone position



Neuro Skull Fixator Spine Position



Steinmen Pin Holding Clamp



Finger Gripping Device



Tibia Nailing

EXTRA STANDARD



Lithotomy Crutches



Shoulder Support



Crutches Holder Steel Clamp



Lateral Support



Arm Rest



Water Proof Antistatic Rubber M

